

# Profit, Cost, and Revenue

October 28, 2013

# Maximizing profit

- A fundamental issue for a producer is how to maximizing profit.

# Maximizing profit


- A fundamental issue for a producer is how to maximizing profit.
- $\pi(q) = R(q) - C(q)$

# Maximizing profit

- A fundamental issue for a producer is how to maximizing profit.
- $\pi(q) = R(q) - C(q)$
- $MC = C'$  : Marginal cost;  $MR = R'$ : Marginal revenue


# Example

Estimating maximum profit if the revenue and cost are given by the curves  $R$  and  $C$ , respectively, in the figure.




## Example

- Profit = Revenue – Cost




# Example

- Profit = Revenue – Cost
- Profit is represented by the vertical distance from curve  $C$  to curve  $R$ , marked by vertical arrow.



# Example


- Profit = Revenue – Cost
- Profit is represented by the vertical distance from curve  $C$  to curve  $R$ , marked by vertical arrow.
- Arrow is going down  $\implies$  No profit






# Example

- Profit = Revenue – Cost
- Profit is represented by the vertical distance from curve  $C$  to curve  $R$ , marked by vertical arrow.
- Arrow is going down  $\implies$  No profit
- Arrow is going up  $\implies$  Making profit




# Example

- Profit = Revenue – Cost
- Profit is represented by the vertical distance from curve  $C$  to curve  $R$ , marked by vertical arrow.
- Arrow is going down  $\implies$  No profit
- Arrow is going up  $\implies$  Making profit
- Profit is maximized if the arrow is going up and has the largest distance.




# Example

- We now analyze the marginal costs and marginal revenues near the optimal point.




# Example

- We now analyze the marginal costs and marginal revenues near the optimal point.
- Global maxima and minima occur at critical points or at the endpoints of the interval




# Example

- We now analyze the marginal costs and marginal revenues near the optimal point.
- Global maxima and minima occur at critical points or at the endpoints of the interval
- $\pi'(q) = R'(q) - C'(q) = 0$



# Example

- We now analyze the marginal costs and marginal revenues near the optimal point.
- Global maxima and minima occur at critical points or at the endpoints of the interval
- $\pi'(q) = R'(q) - C'(q) = 0$
- $MR = R' = C' = MC$ .



# Conclusion


The maximum or minimum profit can occur where marginal profit=0. That is where marginal revenue=marginal cost.

# Example

The (total) revenue and (total) cost curves for a product are given in the Figure.


(a) Sketch (roughly) the marginal cost and revenue.

(b) Graph the profit function  $\pi(q)$ .





# Example



# Example

Find the quantity which maximizes the profit if the total revenue and total cost (in dollars) are given by

$$R(q) = 5q - 0.003q^2$$

$$C(q) = 300 + 1.1q$$

where  $q$  is quantity and  $0 \leq q \leq 1000$  units. What production level gives the maximize profit?

# Maximize Revenue

At a price of \$80 for a half-day trip, a white-water rafting company attracts 300 customers. Every \$5 decrease in price attracts an additional 30 customers.

- Find the demand equation.

# Maximize Revenue

At a price of \$80 for a half-day trip, a white-water rafting company attracts 300 customers. Every \$5 decrease in price attracts an additional 30 customers.

- Find the demand equation.
- Express revenue as a function of price

# Maximize Revenue

At a price of \$80 for a half-day trip, a white-water rafting company attracts 300 customers. Every \$5 decrease in price attracts an additional 30 customers.

- Find the demand equation.
- Express revenue as a function of price
- What price should the company charge per trip to maximize revenue?

# Maximize Revenue

At a price of \$80 for a half-day trip, a white-water rafting company attracts 300 customers. Every \$5 decrease in price attracts an additional 30 customers.

