

Interpretations of the derivative

September 24, 2013

An alternative notation for derivative

- We use the notation f' for the derivative of the function f .

An alternative notation for derivative

- We use the notation f' for the derivative of the function f .
- Calculus is generally considered to have been founded in the 17th century by Isaac Newton (1642-1727) and Gottfried Leibniz (1646-1716).

An alternative notation for derivative

- We use the notation f' for the derivative of the function f .
- Calculus is generally considered to have been founded in the 17th century by Isaac Newton (1642-1727) and Gottfried Leibniz (1646-1716).
- Leibniz introduced an alternative notation for derivative.

An alternative notation for derivative

- We use the notation f' for the derivative of the function f .
- Calculus is generally considered to have been founded in the 17th century by Isaac Newton (1642-1727) and Gottfried Leibniz (1646-1716).
- Leibniz introduced an alternative notation for derivative.
- For $y = f(x)$

$$f'(x) = \frac{dy}{dx}$$

An alternative notation for derivative

- $\frac{dy}{dx}$ is “the derivative with respect to x of y ”

An alternative notation for derivative

- $\frac{dy}{dx}$ is “the derivative with respect to x of y ”
- d stands for “small difference in...”

An alternative notation for derivative

- $\frac{dy}{dx}$ is “the derivative with respect to x of y ”
- d stands for “small difference in...”
- $\frac{dy}{dx}$ remind us that the derivative is a limit of ratio of the form

$$\frac{\text{Difference in } y\text{-values}}{\text{Difference in } x\text{-values}}.$$

An alternative notation for derivative

- $\frac{dy}{dx}$ is “the derivative with respect to x of y ”
- d stands for “small difference in...”
- $\frac{dy}{dx}$ remind us that the derivative is a limit of ratio of the form

$$\frac{\text{Difference in } y\text{-values}}{\text{Difference in } x\text{-values}}.$$

- $\frac{d}{dx}$ stands for “the derivative with respect to x of ...”. Thus $\frac{dy}{dx}$ could be viewed as

$$\frac{d}{dx}(y)$$

Advantage and disadvantage

- $\frac{dy}{dx}$ remind us that this is *intuitively* a very small change in y divided by a very small change in x .

Advantage and disadvantage

- $\frac{dy}{dx}$ remind us that this is *intuitively* a very small change in y divided by a very small change in x .
- $v = \frac{ds}{dt}$

Advantage and disadvantage

- $\frac{dy}{dx}$ remind us that this is *intuitively* a very small change in y divided by a very small change in x .
- $v = \frac{ds}{dt}$
- $\frac{dy}{dx} = f'(x)$ as the slope of the graph $y = f(x)$, is vertical rise, dy , over horizontal run, dx .

Advantage and disadvantage

- $\frac{dy}{dx}$ remind us that this is *intuitively* a very small change in y divided by a very small change in x .
- $v = \frac{ds}{dt}$
- $\frac{dy}{dx} = f'(x)$ as the slope of the graph $y = f(x)$, is vertical rise, dy , over horizontal run, dx .
- How to represent $f'(2)$ by our new notation?

Advantage and disadvantage

- $\frac{dy}{dx}$ remind us that this is *intuitively* a very small change in y divided by a very small change in x .
- $v = \frac{ds}{dt}$
- $\frac{dy}{dx} = f'(x)$ as the slope of the graph $y = f(x)$, is vertical rise, dy , over horizontal run, dx .
- How to represent $f'(2)$ by our new notation?
-

$$\left. \frac{dy}{dx} \right|_{x=2}$$

Using units to interpret the derivative

- The units of the derivative of a function are the units of the dependent variable divided by the units of the independent variable.

Using units to interpret the derivative

- The units of the derivative of a function are the units of the dependent variable divided by the units of the independent variable.
- The units of dA/dB are the unit of A divided by the units of B .

Using units to interpret the derivative

- The units of the derivative of a function are the units of the dependent variable divided by the units of the independent variable.
- The units of dA/dB are the unit of A divided by the units of B .
- If the derivative of a function is not changing rapidly near a point, then the derivative is approximately equal to the change in the function when the independent variable increases by 1 unit.

Example

- The cost C (in dollars) of building a house A square feet in area is given by the function $C = f(A)$. What are the unit and the practical interpretation of the function $f'(A)$?

Example

- The cost C (in dollars) of building a house A square feet in area is given by the function $C = f(A)$. What are the unit and the practical interpretation of the function $f'(A)$?
- $f'(A) = \frac{dC}{dA}$ *dollars per square foot*

Example

- The cost C (in dollars) of building a house A square feet in area is given by the function $C = f(A)$. What are the unit and the practical interpretation of the function $f'(A)$?
- $f'(A) = \frac{dC}{dA}$ *dollars per square foot*
- We can think dC as the extra cost of building an extra dA square feet.

Example

- The cost C (in dollars) of building a house A square feet in area is given by the function $C = f(A)$. What are the unit and the practical interpretation of the function $f'(A)$?
- $f'(A) = \frac{dC}{dA}$ *dollars per square foot*
- We can think dC as the extra cost of building an extra dA square feet.
- If we are planning to build house with area A square feet, $f'(A)$ is approximately the cost per square foot of the extra area involved in building a slightly larger house, and it is called *marginal cost*.

Example

- The cost of extracting T tons of ore from a cropper mine is $C = f(T)$ dollars. What does it mean to say that $f'(2000) = 100$?

Example

- The cost of extracting T tons of ore from a cropper mine is $C = f(T)$ dollars. What does it mean to say that $f'(2000) = 100$?
- $f'(T) = \frac{dC}{dT}$ *dollars per square ton*

Example

- The cost of extracting T tons of ore from a cropper mine is $C = f(T)$ dollars. What does it mean to say that $f'(2000) = 100$?
- $f'(T) = \frac{dC}{dT}$ *dollars per square ton*
- We can think dC as the extra cost of extracting an extra dT tons of ore.

Example

- The cost of extracting T tons of ore from a cropper mine is $C = f(T)$ dollars. What does it mean to say that $f'(2000) = 100$?
- $f'(T) = \frac{dC}{dT}$ *dollars per square ton*
- We can think dC as the extra cost of extracting an extra dT tons of ore.
- So

$$\left. \frac{dC}{dT} \right|_{T=2000} = 100$$

says that when 2000 tons of ore have already been extracted from the mine, the cost of extracting the next ton, the 2001st ton, is about 100\$.

Example

- If $q = f(p)$ gives the number of thousands of tons of zinc produced when the price is p dollars per ton, then what are the units and the meaning of

$$\left. \frac{dq}{dp} \right|_{p=900} = 0.2?$$

Example

- If $q = f(p)$ gives the number of thousands of tons of zinc produced when the price is p dollars per ton, then what are the units and the meaning of

$$\left. \frac{dq}{dp} \right|_{p=900} = 0.2?$$

- *thousand of tons per dollar*

Example

- If $q = f(p)$ gives the number of thousands of tons of zinc produced when the price is p dollars per ton, then what are the units and the meaning of

$$\left. \frac{dq}{dp} \right|_{p=900} = 0.2?$$

- *thousand of tons per dollar*
- When the price is \$900, the quantity produced increase by 0.2 thousand tons for one-dollar increase in price.

Example

- The time L (in hours), that a drug stays in a person's system is a function of the quantity administered, q , in mg, so $L = f(q)$.

Example

- The time L (in hours), that a drug stays in a person's system is a function of the quantity administered, q , in mg, so $L = f(q)$.
- (a) Interpret the statement $f(20) = 5$.

Example

- The time L (in hours), that a drug stays in a person's system is a function of the quantity administered, q , in mg, so $L = f(q)$.
- (a) Interpret the statement $f(20) = 5$.
- (b) Interpret the statement $f'(20) = 0.2$.

Example

- If the velocity of a car at time t seconds is measure in meters/sec, what is the units of the acceleration?

Using the derivative to estimate values of a function

- Fertilizers can improve agriculture. A research of corn in Kenya found that the average value, $y = f(x)$, in *Kenyan shillings* of the yearly corn production from an average plot of land is a function of quantity, x , of fertilizer used in kg.

Using the derivative to estimate values of a function

- Fertilizers can improve agriculture. A research of corn in Kenya found that the average value, $y = f(x)$, in *Kenyan shillings* of the yearly corn production from an average plot of land is a function of quantity, x , of fertilizer used in kg.
- (a) Interpret the statement $f(20) = 11,500$ and $f'(20) = 350$.

Using the derivative to estimate values of a function

- Fertilizers can improve agriculture. A research of corn in Kenya found that the average value, $y = f(x)$, in *Kenyan shillings* of the yearly corn production from an average plot of land is a function of quantity, x , of fertilizer used in kg.
- (a) Interpret the statement $f(20) = 11,500$ and $f'(20) = 350$.
- (b) Use part (a) to estimate $f(21)$ and $f(30)$.

Using the derivative to estimate values of a function

- Fertilizers can improve agriculture. A research of corn in Kenya found that the average value, $y = f(x)$, in *Kenyan shillings* of the yearly corn production from an average plot of land is a function of quantity, x , of fertilizer used in kg.
- (a) Interpret the statement $f(20) = 11,500$ and $f'(20) = 350$.
- (b) Use part (a) to estimate $f(21)$ and $f(30)$.
- (c) Which estimation in part (b) is more reliable?

Local Linear Approximation

If $y = f(x)$ and Δx is near 0, then $\Delta y \approx f'(x)\Delta x$. Then for x near a and $\Delta x = x - a$,

$$f(x) \approx f(a) + f'(a)\Delta x.$$

This is called the *Tangent Line Approximation*.

(Instantaneous) Relative Rate of Change

Definition

The **(instantaneous) relative rate of change** of $y = f(t)$ at $t = a$ is defined to be

$$\frac{dy/dt}{y} = \frac{f'(a)}{f(a)}.$$

Example

- Annual world soybean production, $W = f(t)$, in million tons, is a function of t years since the start of 2000.

Example

- Annual world soybean production, $W = f(t)$, in million tons, is a function of t years since the start of 2000.
- (a) Interpret the statement $f(8) = 253$ and $f'(8) = 17$.

Example

- Annual world soybean production, $W = f(t)$, in million tons, is a function of t years since the start of 2000.
- (a) Interpret the statement $f(8) = 253$ and $f'(8) = 17$.
- (b) Calculate the relative rate of change of W at $t = 8$, interpret it in terms of soybean production.

Example

- Annual world soybean production, $W = f(t)$, in million tons, is a function of t years since the start of 2000.
- (a) Interpret the statement $f(8) = 253$ and $f'(8) = 17$.
- (b) Calculate the relative rate of change of W at $t = 8$, interpret it in terms of soybean production.

Example

- Solar photovoltaic (PV) cells are the world's fastest growing energy source. Annual production of PV cells, S , in megawatts, is approximately $S = 277 \exp 0.368t$, where t is in years since 2000. Estimate the relative rate of change of PV cell production in 2020 using
- (a) $\Delta t = 1$,
- (a) $\Delta t = 0.1$,
- (a) $\Delta t = 0.01$,